



भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 40] नई दिल्ली, शनिवार, अक्टूबर 7, 1995 (आश्विन 15, 1917)
No. 40] NEW DELHI, SATURDAY, OCTOBER 7, 1995 (ASVINA 15, 1917)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेंट कार्यालय द्वारा जारी की गई पेटेंटों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE
PATENTS AND DESIGNS

Calcutta, the 7th October 1995

ADDRESSES AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below :—

Patent Office Branch, Todi
Estates, IIIrd Floor, Lower
Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch,
Unit No. 401 to 405, IIIrd Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC"

1—277 GI/95

Patent Office Branch,
61, Wallajah Road,
Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamil Nadu, and the Union Territories of Pondicherry, Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office (Head Office),
"NIZAM PALACE", 2nd M. S. O.
Building, 5th, 6th and 7th
Floor, 234/4, Acharya Jagadish
Bose Road, Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees :—The fees may either be paid in cash or may be sent by Money Order payable to the Controller at the appropriate Offices or by bank draft or cheque payable to the Controller, drawn on a scheduled bank at the place where the appropriate office is situated.

(833)

पेटेंट कार्यालय

एकस्र तथा अभिकल्प

कलकत्ता, दिनांक 7 अक्टूबर, 1995

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ते में अवस्थित है तथा यम्मुङ्ग, दिल्ली एवं मद्रास में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोन के आधार पर निम्न रूप में प्रदर्शित हैं :—

पेटेंट कार्यालय शाखा, टोडी इस्टेट,
तीसरा तल, जोशर परबेत (पश्चिम),
यम्मुङ्ग-400013 ।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश राज्य
क्षेत्र एवं संघ शासित क्षेत्र गोआ, दमन तथा
दीन एवं दायरा और नगर हवेली ।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शाखा,
एकक सं 401 से 405, तीसरा तल,
संगणालिका बाजार भवन,
सम्पत्ती मार्ग, करोन बाग,
नई दिल्ली-110005 ।

हिमाचल प्रदेश, जम्मू तथा कश्मीर,
पंजाब, राजस्थान तथा उत्तर प्रदेश राज्य क्षेत्रों
एवं संघ शासित क्षेत्र चंडीगढ़ तथा दिल्ली ।

तार पता—“पेटेंटोफिक”

पेटेंट कार्यालय शाखा,
61, बालाजाह रोड,
मद्रास-600002 ।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु राज्य
क्षेत्र एवं संघ शासित क्षेत्र पाण्डिचेरी, लक्षद्वीप,
मिनिक्काय तथा एमिनिदिवि द्वीप ।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, द्वितीय बह्मनीय कार्यालय
भवन 5, 6 तथा 7वां तल,
234/4, आचार्य जगदीश बोस रोड,
कलकत्ता-700020 ।

भारत का अवशेष क्षेत्र ।

तार पता—“पेटेंट्स”

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अपेक्षित सभी आवेदन-पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटेंट कार्यालय के क्षेत्रल उपयुक्त कार्यालय में ही प्राप्त किए जाएंगे ।

शब्द :—शब्दों की अदायगी या तो नकद की जाएगी अथवा उपयुक्त कार्यालय में नियंत्रक को भुगतान योग्य धनादेश अथवा डाक आदेश या जहाँ उपयुक्त कार्यालय अधिस्थित है; उस स्थान के अनुमति प्राप्त बैंक से नियंत्रक को भुगतान योग्य बैंक ड्राफ्ट जमापत्र चेत द्वारा की जा सकती है ।

ALTERATION OF DATE UNDER SECTION 16

175869 antedated to 24th October, 1988.
(66/Cal/92)

175870 antedated to 20th February, 1992.
(116/Cal/92)

APPLICATION FOR PATENT FILED AT THE HEAD OFFICE 234/4, ACHARYA JAGADISH BOSE ROAD, CALCUTTA-20

The dates shown in the crescent brackets are the dates claimed under section 135, of the Patent Act, 1970.

25th July 1995

851/Cal/95. Laboratoire Medidom S.A. Ophthalmic preparation for use as artificial tear.

852/Cal/95. Metallurgical & Engineering Consultants (India) Limited. Laser Based Positioning System for coke oven Battery.

853/Cal/95. Metallurgical & Engineering Consultants (India) Limited and Indian Institute of Technology. Process for preparing high temperature sustaining adhesive for thermoelectric modules, and Thermoelectric modules using such adhesive.

854/Cal/95. Otec Developments. Ocean thermal energy conversion system. (Convention No. 08/280,923; on 26-7-94; in U.S.A.).

855/Cal/95. San Ying Industrial Co. Ltd. Reinforcing device for Bathtub,

856/Cal/95. Chiron Corporation. Novel Hepatitis C E1 and E2 Truncated Polypeptides and methods of obtaining the same. (Convention Nos. 08/282,959; & Nil; on 29-7-94 & 25-7-95; in U.S.A.).

857/Cal/95. E.I. DU Pont De Nemours and Company. Herbicidal Mixtures. (Convention No. 08/284,774; on 2-8-94; in U.S.A.).

858/Cal/95. OKI Electric Industry Co. Ltd. ATM Cell Switch with master and slave demultiplexer modules and reduced current fluctuations. (Convention No. 190341/94; filed on 12-8-94; in Japan.).

859/Cal/95. Hollandse Signaalapparaten B.V. Stirling Cooler. (Convention No. 9401251; on 1-8-94; in Netherlands).

27th July 1995

860/Cal/95. Daewoo Electronics Co. Ltd. Optical Pickup Device.

861/Cal/95. Hydro Aluminium Systems S.p.A. Set of Composite Metalwood sections for door and window frames.

862/Cal/95. Philips Electronics N.V. Method of and system for communicating messages. (Convention Nos. 9415197.4 & 9511462.5; in 28-7-94 & 6-6-95; in U.K.).

863/Cal/95. Leonard Pearlstein. High Performance super-absorbent material and absorbent devices containing the same. (Convention Nos. 08/283559 & 08/460623; in 1-8-94 & 2-6-95; in U.S.A.).

- 864/Cal/95. Aromatik (UK) Limited. Apparatus for providing Bursts of spray of a fluid. (Convention Nos. 9415227.9 & 9506502.5; on 28-7-94 & 30-3-95; in U.K.).
- 865/Cal/95. American Cyanamid Company. Coated Pesticidal Agents, processes for their preparation and compositions containing them. (Convention Nos. 08/281916 & 08/322679; on 27-7-94 & 13-10-94; in U.S.A.).
- 866/Cal/95. Mitsubishi Denki Kabushiki Kaisha. Planetary gear drive.
- 867/Cal/95. Daya Ranjit Senanayake. Chimney. (Convention No. 10687; on 29-7-94; in Sri Lanka).
- 868Cal/95. Long-Hsiung Chen. Simplified Safety syringe with Retractable Self-biased needle and minimized plunger. (Convention No. 08/282,640; on 29-7-94; in U.S.A.).
- 869/Cal/95. Hoerbiger Ventilwerke Aktiengesellschaft. Device and method for influencing the periodic stroke movement of the closing element of a valve. (Convention No. A1498/94; on 29-7-94; in Austria).
- 870/Cal/95. (1) Raymond Edwards, and (2) Stuart James Frederick Edward Blincko. Glycated Proteins Assay. (Convention No. 9415143.8; filed on 27-7-94; in U.K.).
- 871/Cal/95. The Trustees of the University of Pennsylvania. Incorporation of Biologically active Molecules into Bioactive glasses. (Convention Nos. 08/281,055; 08/406,047 & 08/477,585; on 27-7-94; 17-3-95 & 7-6-95 in U.S.A. respectively).
- 872/Cal/95. Kimberly-Clark Corporation. Photo-Erasable data Processing forms.
- 28th July 1975
- 873/Cal/95. Daewoo Electronics Co. Ltd. Full color three dimensional projector.
- 874/Cal/95. Daewoo Electronics Co. Ltd. An apparatus for processing a still screen in a digital video reproducing system.
- 875/Cal/95. Enichem Elastomeri S.r.L. A process for preparing a vinylaromatic-Diene Block Copolymer. (Divided out of No. 84/Cal/92; antedated to 5-2-1992).
- 876/Cal95. Enichem Elastomeri S.r.L. A process for preparing a vinylaromatic-Diene Block Copolymer. (Divided out of No. 84/Cal/92; antedated to 5th February, 1992).
- 877/Cal/95. Hoerbiger Ventilwerke Aktiengesellschaft. An Induction regulator valve for rotary compressors. (Convention No. A1506/94; on 29-7-94; in Austria).
- 878/Cal/95. Mertik Maxitrol GmbH & Co. Kg. Fitting especially for a continuous flow water heater.

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of Patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule-36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

स्वीकृत सम्पूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से चार (4) महीने या अग्रिम ऐसी अवधि का उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र-14 पर आवेदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एक्सर के उपर्युक्त कार्यालय में ऐसे विरोध की सूचना विहित प्रपत्र 15 पर दे सकते हैं। विरोध सम्बन्धी लिखित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथा विहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

“प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अन्तराष्ट्रीय वर्गीकरण के अनुरूप हैं।”

रूपांकन (चित्र आरेखों) की फोटो प्रतियां यदि कोई हों, के साथ विनिर्देशों की टंकित अथवा फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपयुक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र-व्यवहार द्वारा सुनिश्चित करने के उपरान्त उसकी अदायगी पर की जा सकती है। विनिर्देश की पृष्ठ संख्या के साथ प्रत्येक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरेख कागजों को जोड़कर उसे 2 से गुणा करके; (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है); फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

Cl.: 32 (F-3).

175861

Int Cl.⁴: C 07 C 69/15.

PROCESS FOR THE PREPARATION OF VINYL ACETATE.

Applicant: HOECHST AKTIENGESSELLSCHAFT of D-6230 FRANKFURT AM MAIN 80, FEDERAL REPUBLIC OF GERMANY.

Inventors: (1) FRIEDRICH WUNDER, (2) PETER WIRTZ, (3) GUNTER ROSCHER and (4) KLAUS EICHLER.

Application No. 961/Cal/1990; filed on 14th November, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

3 Claims

A process for the preparation of vinyl acetate in the gas phase from ethylene, acetic acid and oxygen or oxygen-containing gases such as herein described on a catalyst which contains palladium and/or its compounds and, if desired additionally gold and/or gold compounds such as herein described and which contains as activators alkali metal compounds such as herein described and, if desired additionally cadmium compounds such as herein described on a support which is composed of SiO_2 or an SiO_2 - Al_2O_3 mixture having a surface area 50-250 m^2/g and a pore volume of 0.4-1.2 ml/g and whose particles have a particles size of 4 to 9 μm , 5 to 20% of the pore volume of the support being formed of pores having radii of 200 to 3000 \AA and 50 to 90% of the pore volume being formed of pores having radii of 70 to 100 \AA , which comprises compressing the support particles with the aid of an Li, Mg, Al, Zn or Mn salt of a C_{20} carboxylic acid such as herein described or a mixture of such salts as binder.

(Compl. Specn. 15 pages)

Drgns. Nil.)

Cl.: 108—C 3 & 2

175862

12—C & D.

Int. Cl.: C 22 C 38/02.

A PROCESS FOR PRODUCING THERMALLY FLATTENED GRAIN ORIENTED SILICON STEEL STRIP.

Applicant: ARMCO INC. OF 680 CURTIS STREET, MIDDLETOWN, OHIO 45043, UNITED STATES OF AMERICA.

Inventors: (1) JERRY WILLIAM SCHOEN, & (2) DANNIE STEVEN LOUDERMILK.

Application No. 977/Cal/90; filed on 19th November, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

15 Claims

A process for producing thermally flattened grain oriented silicon steel strip having a coating such as herein described, said process comprising:

- heating said steel to a temperature of about 1000 to about 1435°F (540 to about 780°C);
- providing a tension of about 400-1200 psi (29,200 to 87,600 gm/Cm^2) during said heating of step (a) above; and
- providing a stress relief anneal above about 1500°F (815°C) whereby said coating has improved glass film characteristics and said steel has improved core loss.

(Compl. Specn 23 pages)

Drgns. 7 sheets)

Cl.: 88 F, 32 C.

175863

Int. Cl.: B 01 D 47/00 C. 01 B 17/04.

PROCESS OF DESULFURIZING A GAS MIXTURE WHICH CONTAINS H_2S , COS AND CO_2 .

Applicant: METALLGESELLSCHAFT AKTIENGESELLSCHAFT, OF REUTERWEG 14, D-6000, FRANKFURT AM MAIN, WEST GERMANY.

Inventors: (1) JOHANN SCHLAUER, (2) MANFRED KRIEBEL, (3) HANS-JOACHIM FRITZSCHE, (4) GERHARD GRUNEWALD, (5) DIETER DREER.

Application No. 1026/Cal/90; filed on 13th December, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule 1972) Patent Office, Calcutta.

2 Claims

A process for desulfurizing a gas mixture which contains H_2S , COS and CO_2 , which comprises the steps of:

- scrubbing, in a scrubbing zone, a gas mixture which contains H_2S , COS and CO_2 with a scrubbing solution consisting essentially of N-methylpyrrolidone and 1 to 10% by weight water, said scrubbing solution being fed into said scrubbing zone at a first feeding point in the upper part of said scrubbing zone, feeding said gas mixture into the lower part of said scrubbing zone at a second feeding point;
- contacting said gas mixture in said scrubbing zone with a COS-hydrolysis catalyst selected from the group which consists of ammonia, methylamine and mixtures thereof at a ratio of 5 to 50 moles of the catalyst per cubic meter of said scrubbing solution and removing at least 50% of the COS fed to said scrubbing zone in said gas mixture by hydrolysis, said catalyst being fed into the scrubbing zone separately from said scrubbing solution at a third feeding point, said third feeding point being below said first feeding point and above said second feeding point;
- controlling the temperature in said scrubbing zone during steps (a) and (b) so that said temperature is 20° to 40°C;
- withdrawing laden scrubbing solution from said scrubbing zone at the lower part of said zone;
- regenerating the laden scrubbing solution withdrawn from said scrubbing zone; and
- recycling regenerated scrubbing solution to said first feeding point in the upper part of said scrubbing zone.

(Compl. Specn. 10 pages)

Drgns. 1 sheet).

Cl.: 167 C + 167 G

175864

Int. Cl.: B 02 C 23/08,

B 07 B 13/00,

B 02 B 3/00, 3/04

A GROUNDNUT POD SEPARATOR.

Applicant & Inventor: MARUTIRAO YASHWANT SARODE, OF 8/1A, GOPAL BOSE LANE, CALCUTTA-700 009, WEST BENGAL, INDIA.

Application No.: 1041/Cal/90 filed on 18th December, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

5 Claims

A groundnut pod separator for causing a separation of the pods from a groundnut plant comprising a frame for supporting a fixed axle, a stationary drum fixedly and axially held to said axle, at least one blade member rotatably held to said axle, and adapted to rotate around said drum, drive means for imparting a drive to said rotatable blade member.

(Compl. Specn. 5 pages,

Drgns. 1 sheet.)

Cl. : 33A

175865

Int. Cl. 4 B 22 D 11/00, 11/14, 11/18

A SYSTEM FOR AUTOMATICALLY POURING METAL MELT INTO THE MOULD IN A CONTINUOUS CASTING INSULATION.

Applicant : STOPING AKTIENGESSELLSCHAFT, OF ZUGERSTR. 76A, CH-6340 BAAR, SWITZERLAND.

Inventors : ARMIN HURFELD.

Application No. : 4/Cal/91 filed on 1st January, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

3 Claims

A system for automatically pouring metal melt into the mould in a continuous casting installation comprising :

- a vessel containing said liquid melt;
- a stopper valve provided in said vessel;
- a continuous casting mould closed at the bottom by a stopper head and positioned under said vessel;

means for moving said stopper a number of times in the opening and closing directions during the pouring-in of the melt at programme-controlled time intervals characterised in that said stopper valve is connected to a computerised control means for moving up and down during the pouring operation at different opening and closing displacements (s_1 to s_n) associated with programme-controlled time intervals (t_1 to t_n) based on values generated by means for identifying the filling level (h) in the mould; means for withdrawing the strand obtained of said mould at predetermined velocity and time;

means for measuring the weight of the liquid level in said vessel;

and means for constant monitoring and identifying of the actual value of the drive position of said stopper.

(Compl. Specn. 13 pages,

Drgns. 2 sheets.)

Cl. : 40 B + 40 H

175866

Int. Cl. 4 : B 01 J 23/00, 23/40, 23/76

A PROCESS FOR THE PREPARATION OF A CATALYST FOR THE PURIFICATION OF THE EXHAUST GASES OF INTERNAL COMBUSTION ENGINES.

Applicant : M/s. DEGUSSA AG., ZWEIGNIEDERLASUNG WOLFGANG, RODENBACHER CHAUSSEE 4, POSTFACH 1345, D-6450 HANAU 1, GERMANY.

Inventors : (1) DR. RAINER DOMESLE, (2) DR. FELIX SCHMIDT, (4) DR. PETER SCHUBERT, (5) DR. EDGAR KOBERSTEIN.

Application No. 27/Cal/91 filed on 7th January, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

3 Claims

A process for the preparation of a catalyst for the purification of the exhaust gases of internal combustion engines, having aluminium oxide of the transition series as carrier containing from 3 to 70% by weight of CeO_2 , from 0 to 20% by weight of La_2O_3 , optionally as mixture with other rare earth metal oxides, and from 1 to 20% by weight of ZrO_2 and 0 to 10% by weight of Fe_2O_3 and from 0 to 20% by weight of NiO as promoter compound and an active phase of from 0.02 to 3% by weight of noble metals such as platinum and/or palladium and rhodium applied to the carrier, with a ratio by weight of platinum and/or palladium to rhodium of from 1 : 2 to 15 : 1, preferably from 1 : 1 to 3 : 1, and

optionally a ratio by weight of platinum to palladium of from 10 : 1 to 1 : 5, in which the carrier, which may be lattice stabilized, is impregnated with a solution of said promoter compound and/or is lined by mixing the latter with a suspension of oxides, hydroxides or carbonates of the promoter element, and the carrier is then treated in air at 300 to 900°C and subsequently impregnated with a solution of compounds of the said noble metals and dried and optionally activated in a hydrogen containing gas, optionally under hydrothermal conditions, at a temperature from 250—1050°C, the catalyst being optionally in the form of a coating on an inert carrier of ceramics or metal in a quantity of from 5 to 30% by weight based on the weight of the inert carrier, characterized in that the catalyst contains at least one base metal element selected from lithium, potassium, rubidium, magnesium, calcium, barium, lanthanum, cerium, praseodymium, neodymium, samarium, iron, cobalt and nickel in a quantity of up to 5 times the total mass of noble metal and is obtainable by impregnation of the promoter-containing carrier with an aqueous solution (A) of compounds of platinum and/or palladium such as herein described in a quantity corresponding to at least 30% of the total mass of platinum and/or palladium, drying and activation followed by impregnation with a solution (B) containing the compound of rhodium such as herein described and optionally the remainder of platinum and/or palladium compound and renewed drying and activation as herein described, aqueous solution (B) containing one or more compounds of the base metals, such as herein described.

(Compl. Specn. 39 pages,

Drgns. Nil.)

Cl. : 126 A

175867

Int. Cl. 4 : G 01 J 3/46, G 02 F 1/00.

AN APPARATUS FOR AUTOMATIC PROGRAMMED DETERMINATION OF IMPURITIES ON HYDRATE OF ALUMINA.

Applicant : ALUMINIUM PECHINEY, OF IMMEUBLE BALZAC, 10, PLACE DES VOSGES, LA DEFENSE 5, 92400 COURBEVOIE, FRANCE.

Inventors : (1) RAYMOND DABLAIVILLE, (2) JEAN DUFOUR.

Application No. : 170/Cal/91 filed on 22nd February, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

3 Claims

Apparatus for automatic, programmed determination of the quantity of an impurity contained in a product travelling in bulk, with an uneven upper surface, on a conveyor belt, the impurity forming a coloured compound with an appropriate reagent, characterised in that it comprises :

— a levelling means itself made up of :

- (a) a lever arm (7) in equilibrium about a horizontal-shaft (8) by the action of several forces : the weight of a levelling arrangement (9), possibly that of the colour measuring system (17) and that of a counter-weight (10).
- (b) the levelling arrangement (9) comprising a half cylinder made of a plastics sheet (13) with the lower, convex part in contact with the bed of product travelling on the belt, the half cylinder being fixed by its two boundary generatrices onto a frame rigidly connected to the lever arm.
- (c) a jack (11) enabling the lever arm to be lowered to bring the lower part of the plastics cylinder into contact with the product travelling on the belt, the head of the jack being fixed non-rigidly to the lever arm, so as to enable the lever arm to oscillate when the levelling arrangement follows the variations in the thickness of the product travelling on the belt.

—a means for spraying the liquid containing the reagent which forms the coloured compound with the impurity.

—a means for measuring the colour obtained.

(Compl. Specn. 9 pages,

Drgns. 4 sheets.

Cl. : 206 E

175868

Int. Cl. : H 04 N 7/08

A SYSTEM-RESPONSIVE INTERACTIVE DEVICE.

Applicant : INTERACTIVE SYSTEMS, INCORPORATED OF 1225 N.W. MURRAY ROAD, SUITE 210, PORTLAND, OREGON, 97229, UNITED STATES OF AMERICA.

Inventors : (1) ROBERTS S. BROUGHTON.

(2) WILLIAM C. LAUMEISTER.

Application No. : 65/Cal/92 filed on 30th January, 1992.

(Divided out of No. 877/Cal/88 antedated to 24-10-88).

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

2 Claims

A system-responsive interactive device for use in conjunction with a system which includes a video display that is luminance modulated to contain encoded data related to display activity, and a data-encoded luminance modulation-responsive translator capable of locally projecting, into a projection, field encoded light, borne information derived from such control data, said device comprising :

A receiver adapted to receive such projected information when within such field;

a controller operatively connected to the receiver and specifically adapted to decode such information, thus to produce related control signals; and

activity-producing means operatively coupled to the controller and responsive to the control signals to generate in the device activity which is related to the data contents of such luminance modulated video display, thus to coordinate device activity with display activity.




FIG. 1

(Compl. Specn. 42 pages,

Drgns. 5 sheets.)

Cl. 206-E,

175869

Int. Cl. : H 04 N 7/08.

APPARATUS FOR USE WITH COMPOSITE VIDEO SIGNAL.

Applicant : INTERACTIVE SYSTEM, INCORPORATED, OF 1225 N.W. MURRAY ROAD, SUITE 210, PORTLAND, OREGON, 97229, UNITED STATES OF AMERICA.

Inventors : (1) ROBERT S. BROUGHTON, & (2) WILLIAM C. LAUMEISTER.

Application No. 66/Cal/92; filed on 30th January, 1992.

(Divided out of No. 877/Cal/88 antedated to 24-10-88)

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

2 Claims

Apparatus for use with a composite video signal containing programme material for viewing on a television, comprising :

means adjacent the television for detecting the presence of luminance modulation within the selected video fields, the detecting means being responsive to substantially invisible luminance modulation, within the viewing area of the television, at a modulation frequency substantially greater than the field frequency of the television, thereby to reproduce the data, and

means responsive to such reproduced data for controlling at least one interactive device.




FIG. 1

(Compl. Specn. 42 pages,

Drgns. 5 sheets.)

Cl. : 172-B & C₁

175870

Int. Cl. : D 01 G 15/28, 15/30, 15/32.

THE DEVICE IN A CARDING MACHINE WITH MOVING COVER MADE OF COVER BARS PROVIDED WITH GARNITURE.

Applicant : TRUTZSCHLER GMBH & CO. KG. OF DUVENSTR. 82-92, D-4050 MONCHENGLADBACH 3, GERMANY.

Inventors : (1) FERDINAND LEIFELD, & (2) PAUL GEORG TEICHMANN.






Application No. 116/Cal/1992; filed on 20th February, 1992.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office, Calcutta.

27 Claims

A device in a carding machine with a moving cover made of cover bars (14) provided with garniture, where at least one endless drive element, for eg, a flexible belt is provided for propulsion of the said cover bars, where said cover bars slide with its two ends on the slideway (17) and are returned

again finally on the slide way (17) on the opposite side, whereby said slideway (17) has a central convex bent region (17b) and is bent concave at the cover deflection rollers (15a, 15b), wherein said slideway (17) is fixed at point (19) sidewise of the carding machine by a fixing device, clamping device, synthetic material-metal joint or like other device at the running arc (18).



OPPOSITION PROCEEDING UNDER SECTION 25(1)

(3)

An opposition has been entered by Godrej Soaps Limited Bombay-400 079 to the grant of Patent on Patent Application No. 173462 (224/Bom/1991) made by Hindustan Lever Limited Bombay-400 020.

An opposition has been entered by M/s. Premsons Plastics Private Limited, Bombay-400 013 to the grant of Patent on Patent Application No. 174043 (247/Bom/1991) made by Real Value Appliances Pvt. Ltd., Bombay-400 021.

An opposition have been entered by M/s. Procter and Gamble Far East Inc. Japan to the grant of a Patent Application No. 174044 (249/Bom/1991) made by M/s. Hindustan Lever Limited, Bombay 400 020.

An Opposition has been entered by QUADROMATIC ENGINEERING PVT. LTD. on Patent Application No 174057 made by TECUMSEH PRODUCTS COMPANY.

An opposition have been entered by M/s. Godrep Soaps Ltd. Bombay 400 079 to the grant of Patent Application No 174514 (346/Bom/1991) made by M/s. Hindustan Lever Limited, Bombay-20.

An application have been entered by M/s. Godrej Soaps Ltd. Bombay 400 079 to the grant of a Patent Application No. 174536 (149/Bom/1992) made by M/s. Hindustan Lever Limited, Bombay-20.

An application have been entered by M/s. Procter & Gamble Far East Inc. Japan to the grant of a Patent Application No. 174537 (237/Bom/1992) made by M/s. Hindustan Lever Limited, Bombay-400 020.

164811 164812 164813 164814 164815 164816 164817 164818
164819 164820 164821 164822 164823 164824 164825 164826
164827 164828 164829 164830 164831 164832 164833 164834
164835 164836 164837 164838 164839 164840 164841 164842
164843 164844 164845 164846 164847 164848 164849 164850

(4)

165851 164852 164853 164854 164855 164856 164857 164858
164859 164860

(5)

164861 164862 164863 164864 164865 164866 164867 164868
164869 164870 164871 164872 164873 164874 164875 164876
164877 164878 164879 164880 164881 164882 164883 164884
164885 164886 164887 164888 164889 164890.

(6)

164891 164893 164894 164895 164896 164897 164898 164899
164900 164901 164902 164903 164904 164905 164906 164907
164908 164909 164910

(7)

164911 164912 164913 164914 164915 164916 164917 164918
164919 164920 164921 164922 164923 164924 164925 164926
164927 164928 164929 164930 164931 164932 164933 164934
164935 164936 164937 164938 164939 164940.

(8)

164941 164942 164943 164944 164945 164946 164947 164948
164949 164950 164951 164952 164953 164954 164955 164956
164957 164958 164959 164960 164961 164962 164963 164964
164965 164966 164967 164968 164969 164970 164971 164972
164973 164974 164975 164976 164977 164978 164979 164980

(9)

164981 164982 164983 164984 164985 164986 164987 164988
164989 164990 164991 164992 164993 164994 164995 164996
164997 164998 164999 165000.

(10)

165001 165002 165003 165004 165005 165006 165007 165008
165009 165010 165011 165012 165013 165014 165015 165016
165017 165018 165019 165020

(11)

165021 165022 165023 165024 165025 165026 165027 165028
165029 165030 165031 165033 165034 165035 165038 165039
165039 165041 165042 165043 165044 165045 165046 165047
165048 165050

(12)

165051 165053 165054 165055 165056, 165057 165058 165059
165060 165061 165062 165063 165064 165065 165066 165067
165068 165069 165070 165071 165072 165073 165074 165075
165076 165077 165078 165079 165080 165081 165082 165083
165084 165085 165086 165087 165088 165089 165090 165091

RENEWAL FEES PAID

156018 156110 156311 156969 157594 157607 157639 157643
15742 158098 158264 158811 159019 159044 159473 159675
159811 159848 160060 160204 160298 160299 160302 160401
160553 160757 160840 160959 161049 161132 161133 161255
161638 161868 161876 162086 162248 162355 162460 162674
162712 162918 162955 13055 163181 163408 163412 163769
163845 163995 164083 164226 164585 165219 165257 165291
165513 165745 165843 165952 166092 166093 166102 166358
166413 166453 166454 166512 166721 166779 166823 166852
167229 167495 167615 167733 167977 168057 168177 168393
168830 168918 169034 169514 169516 169548 169577 169579
169596 169597 170237 170453 170821 171156 171370 171795
171859 171864 172303 172308 172412 172562 172606 172607
172727 172761 172766 172769 172783 172788 172790 173057
173269 173342 173345 173347 173382 173384 173390 173450
173790 173895 174096

PRINTED SPECIFICATION PUBLISHED

A limited number of printed copies of the undernoted specification are available for sale from the Patent Office, Calcutta and its branches at Bombay, Madras and Delhi at two rupees per copy :—

(1)

164761 164762 164763 164764 164765 164766 164767 164768
164769 164770 164771 164772 164773 164774 164775 164776
164777 164778 164779 164780

(2)

164781 164782 164783 164784 164785 164786 164787 164788
164791 164792 164793 164794 164795 164796 164797 164798
164799 164800 164801 164802 164803 164804 164805 164806
164807 164808 164809 164810

PATENT SEALED ON 8-9 95

174420* 174781 174783* 174786 174788 174789 174790
 178403 14804 174805* 174806 174807 174809 174814 174815
 174816* 174817 174818 174819 174820 174823 174825 174827
 174828 174829 174830 174837*D 174839*D

CAL-03, DEL-25, BOM-NIL, MAS-NIL

*Patent shall be deemed to be endorsed with the words
 LICENCE OF RIGHT under Section 87 of the Patents Act,
 1970 from the date of expiration of three years from the date
 of sealing.

CAL-03, DEL/85, BOM-NIL, MAS-M/NIL

CESSATION OF PATENT

159356 159376 159377 159378 158382 159386 159426 159432
 159446 159453 159482 159501 159539 159551 159555 159567
 159599 159601 159632 159651 159682 159687 159688 159738
 159762 159764 159766 159784 159790 159792 159827 159831
 159832 159835 159858 159869 159878 159911 159915 159919
 159949 159954 159976 160001 160013 160048 160097 160137
 160161 160179 160209 160224 160227 160244 160306 160310
 160319 160328 160329 160335 160357 160365 160366 160393
 160394 160409 160451 160463 160464 160476 160512 160537
 160579 163969 168114 169240 170705 171058 171620 171728
 172564

REGISTRATION OF DESIGNS

The following designs have been registered. They are not
 open to inspection for Period of two years from the date of
 registration except as provided for in Section 50 of the
 Designs Act, 1911.

The date shown in the each entries is the date of the re-
 gistration included in the entries.

Class 3. No. 168937 to 168939, Timex Corporation, of Park
 Road Extension, Middlebury, Connecticut 06762-
 0310, U.S.A., "WRISTWATCH". 20th March
 1995.

Class 3. No. 168495, Faco Electric Co. Pte Ltd., a com-
 pany of the Republic of Singapore, of 152 Paya
 Lebar Road # 02-01, Citipoint Industrial Com-
 plex, Singapore 1440, "WATER HEATER", 13th
 December 1994.

Class 3. No. 168795, Kabushiki Kaisha Toshiba, a Japanese
 Corporation of 72, Horikawa cho Saiwai-ku,
 Kawasaki-shi, Japan, "A WASHING MACHINE",
 8th February 1995.

Class 3. No. 168513, Motorola, Inc., a corporation of the
 State of Delaware, U.S.A. of 1303 East Algon-
 quin Road, Schaumburg, Illinois, 60196, U.S.A.
 "SELECTIVE CALL RECEIVER", 19th Decem-
 ber 1994.

Class 3. No. 168564, Hindustan Lever Limited, a company
 incorporated under the Indian Companies Act,
 1913, registered office of which at 165/166 Back-
 bay Reclamation, Bombay 400 020, "TOOTH
 BRUSH HANDLE", 30th December 1994.

Class 10. No. 168510 & 168511, Liberty Group Marketing
 Division, Liberty House Extension, Karnal,
 Haryana State, India, an Indian partnership con-
 cern, "SOLE OF SANDAL", 19th December
 1994.

Class 12. No. 168554, Richie Rich Products, A 18, Ram
 House, Middle Circle, Connaught Place, New
 Delhi-110 001, India, an Indian sole proprietor-
 ship concern, "TOY DEMON", 30th December
 1994.

Class 1. No. 168893, Hans-Jurgen Fuhrmann GmbH. Spe-
 zial Werkzeugfabrikation, of Egenstrasse 57-63,
 D 58339, Breckerfeld, Germany, "A HOLDING
 DEVICE FOR TOOLS", 6th March 1995.

R. A. ACHARYA
 Controller General of Patent,
 Design & Trade Marks

प्रबन्धक, भारत सरकार मन्त्रालय, फरीदाबाद द्वारा मद्रित
 एवं प्रकाशन नियंत्रक, दिल्ली द्वारा प्रकाशित, 1995

PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARIDABAD,
 AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 1995

